



2018 Air Quality Annual Status Report (ASR)

In fulfilment of Part IV of the
Environment Act 1995
Local Air Quality Management

May 2018

Bracknell Forest Borough Council

Local Authority Officer	Suzanne McLaughlin
Department	Environmental Health (Environmental Quality Team)
Address	Public Protection Partnership Market Street Newbury Berkshire RG14 5LD
Telephone	01635 503242
E-mail	Environmental.Health@Bracknell-Forest.gov.uk
Report Reference number	BFASR2018
Date	May 2018

Executive Summary: Air Quality in Our Area

Air Quality in Bracknell Forest

Air pollution is associated with a number of adverse health impacts. It is recognised as a contributing factor in the onset of heart disease and cancer. Additionally, air pollution particularly affects the most vulnerable in society: children and older people, and those with heart and lung conditions. There is also often a strong correlation with equalities issues, because areas with poor air quality are also often the less affluent areas^{1,2}.

The annual health cost to society of the impacts of particulate matter alone in the UK is estimated to be around £16 billion³.

The major source of air quality pollutants in Bracknell Forest is emissions from road transport, and in particular the contribution from the A322 Bracknell and B3348/High Street and Sandhurst Road Crowthorne have been identified as significant. The main pollutant of concern is nitrogen dioxide (NO₂) and to a lesser extent to increased levels of particulate matter. Two Air Quality Management Areas (AQMAs) have been declared due to exceedences of the annual mean objective for NO₂; the Bracknell AQMA (Bagshot Road and Downshire Way) and the Crowthorne AQMA. There are no exceedences of PM₁₀. Details can be found at: <https://uk-air.defra.gov.uk/aqma/list?view=W> and maps are in Appendix D.

Nitrogen dioxide (NO₂) is the main pollutant of concern. The levels in 2017 have shown general decrease on 2016 levels. The ratified continuous monitored NO₂ annual mean in 2017, the level being 38.4 µg/m³ at Downshire Way and 15.8 µg/m³ so did not exceed the Air Quality objective level of 40 µg/m³. There were 4 exceedences of the 1-hour objective at Downshire Way and none at Foxhill School, which did not exceed the objective permitted level of 18.

There were no exceedences of the ratified, adjusted and distance corrected diffusion tubes within the Bracknell AQMA and within the Crowthorne AQMA one site exceeded the objective, but was lower than the 2016 level. There were no locations

¹ Environmental equity, air quality, socioeconomic status and respiratory health, 2010

² Air quality and social deprivation in the UK: an environmental inequalities analysis, 2006

³ Defra. Abatement cost guidance for valuing changes in air quality, May 2013

greater than 60µg/m³ which therefore does not indicate any exceedance of the 1-hour Objective. All sites showed a decrease in level compared to 2016, and all of the 11 new sites were well below the objective level. Overall the levels have been reducing over the last 5 years to 2017.

No extensions or amendments to the AQMAs were required nor any new AQMAs to be declared.

Actions to Improve Air Quality

Bracknell Forest produced an air quality action plan in 2014, and updated in 2016, which outlines local measures to improve pollution within the AQMAs and more widely across the borough. The action plan is integrated with the delivery of the adopted Local Transport Plan (LTP) to improve local air quality and climate change through joint working with the Council's Environmental Health, Transport Planning and Planning Divisions. The vision outlined in the LTP is:

"To develop a sustainable transport system that supports the local economy, provides choice, and improves quality of life in a safe and healthy environment".

The latest LTP(LTP3 2011-2026) focuses on a number of objectives, with specific policies to support them, including:

1. Reduce delays associated with traffic congestion and improve reliability of journey times
2. Maintain and improve, where feasible, the local transport network
3. Secure necessary transport infrastructure and services to support sustainable development.
4. Encourage and promote accessibility by sustainable modes of transport
5. Reduce greenhouse gas emissions from transport
6. Reduce casualties and improve safety on the local transport network

The LTP3 and supporting documents can be accessed via the Council's website, at:

<http://www.bracknell-forest.gov.uk/planningtransportpolicy>

Within the Bracknell AQMA, the Council has determined that Oxides of Nitrogen (NO_x) would need to be reduced by 50% to comply with the annual mean air quality objective for NO₂ and that the main contribution of emissions from vehicles is from queuing traffic on the A322. To help smooth the traffic flow and reduce journey times

in this AQMA, a number of major highway improvements have been completed along the A329/A322 corridor that links the M3 and M4 motorway. The remaining section, at Downshire Way has now secured funding for dual carriageway. Work on a number of the junctions has been funded through the LTP and the Council had a successful bid to the Department for Transport to improve the Twin Bridges roundabout. In 2016 a number of adjustments have been made to the timings of lights on the roads around Bracknell to ensure that traffic moves at a more constant speed through Bracknell which should improve journey time reliability and improve air quality by preventing queue build ups in certain areas.

Within the Crowthorne AQMA, the main emissions sources are from moving traffic, primarily from vans used to deliver goods to the shops along the High Street as they can cause delays in other traffic when unloading and unloading goods. A reduction in NOX emissions of 19% is required to achieve the annual mean air quality objective for NO2 in this AQMA. As part of the action plan, the speed humps on the High Street have been upgraded and replaced by speed cushions to reduce the stop-start driving style. Another measure that is being pursued in the long term is to introduce a rear service road for a number of shops along the High Street. If this was to be achieved this could potentially reduce the number of delivery vehicles unloading and loading by up to 50%. The Council is continuing to work with existing and new shop owners to gain the required planning permissions to move this action forward.

The council have also investigated changes to the junction at the eastern end of Crowthorne High Street which would have aimed to improve capacity at this point. This is unlikely to go ahead due to objections to the plans.

A joint application with West Berkshire and Wokingham Councils to the Air Quality Grant Scheme 2017-18 was made but unfortunately not successful in securing grant funding for the project of involving the purchase of monitoring equipment which children/adults can wear to monitor their personal exposure to air pollution on the way to and from school against routes they have taken. It is hoped information collected can be used to help inform and review school travel plans to encourage changes in behaviour to support their plans, and long term improvements in local air quality and public health outcomes.

Conclusions and Priorities

The main focus for Bracknell Forest in terms of improving air quality is to reduce NO_x emissions and therefore NO₂ concentrations by focusing actions within the two declared AQMAs. The Council also recognise that wider improvements in air quality across the Borough can also improve concentrations within these AQMAs.

During 2016 the NO₂ concentrations exceeded the air quality objectives at four diffusion tube sites but when the distance correction is applied there is only one exceedance. This is within the AQMA Crowthorne (site 58).

Concentrations at the majority of the diffusion tube sites have decreased in 2017 compared to 2016 levels and were the lowest in the last 5 years.

On 7th September 2017 the Lexicon centre in Bracknell's town centre opened, which is expected to increase the number of visitors to the area significantly and may put increased pressure on the roads leading to the car parks in the centre. The council worked with the developers to encourage non car use for the employees who will be working in the development.

The council has also continued to work with network rail to increase the length of the platform at Bracknell's train station to increase the number of people able to use the trains at peak times.

The areas of concern continue to be:

- Bracknell AQMA - Downshire Way and Bagshot Road (A322)
- Crowthorne AQMA - High Street and Bracknell Road

Local Engagement and How to get Involved

There are a number of ways members of the public can help to improve local air quality:

- Walk or cycle short distances of less than one or two miles rather than driving
- Search for car sharing opportunities using Bracknell Forest Travelshare at (<https://liftshare.com/uk/community/bracknellforest>) or Faxi (<https://faxi.co.uk/>) to share journeys with work colleagues

Bracknell Forest Borough Council

- Use the bus or train regularly and keep up-to-date with the latest bus routes timetables at <http://www.bracknell-forest.gov.uk/busroutesinbracknellforest> and live bus departures at <http://www.bracknellrti.com/Naptan.aspx>
- Go to The Lexicon website for the best ways to travel to the new town centre <https://www.thelexiconbracknell.com/get-here/travel-information>
- Go to <https://www.bracknell-forest.gov.uk/roads-parking-and-transport/travel-and-public-transport>

For further details on air quality in Bracknell Forest please refer to our website at:

<https://www.bracknell-forest.gov.uk/business-information/environmental-health/pollution/air-quality> .

Individuals or members of local groups are invited to share any ideas they have to cut nitrogen dioxide levels in Bracknell Forest by emailing:

Environmental.Health@Bracknell-Forest.gov.uk

Other useful websites are:

<https://uk-air.defra.gov.uk/>

<https://www.gov.uk/government/publications/2010-to-2015-government-policy-environmental-quality/2010-to-2015-government-policy-environmental-quality#appendix-5-international-european-and-national-standards-for-air-quality>

Table of Contents

Executive Summary: Air Quality in Our Area.....	1
Air Quality in Bracknell Forest	1
Actions to Improve Air Quality.....	2
Conclusions and Priorities	4
Local Engagement and How to get Involved	4
1 Local Air Quality Management.....	8
2 Actions to Improve Air Quality.....	9
2.1 Air Quality Management Areas.....	9
2.2 Progress and Impact of Measures to address Air Quality in Bracknell Forest	11
2.3 PM _{2.5} – Local Authority Approach to Reducing Emissions and/or Concentrations.....	18
3 Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance.....	19
3.1 Summary of Monitoring Undertaken	19
3.1.1 Automatic Monitoring Sites	19
3.1.2 Non-Automatic Monitoring Sites.....	19
3.2 Individual Pollutants	20
3.2.1 Nitrogen Dioxide (NO ₂).....	20
3.2.2 Particulate Matter (PM ₁₀).....	25
3.2.3 Particulate Matter (PM _{2.5})	28
3.2.4 Sulphur Dioxide (SO ₂)	28
Appendix A: Monitoring Results	29
Appendix B: Full Monthly Diffusion Tube Results for 2017	42
Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC	51
Appendix D: Map(s) of Monitoring Locations and AQMAs	70
Appendix E: Summary of Air Quality Objectives in England.....	78
Glossary of Terms	79

List of Tables

Table 2.1 – Declared Air Quality Management Areas.....	10
Table 2.2 – Progress on Measures to Improve Air Quality	13

List of Figures

Figure 1 Foxhill School one hour nitrogen dioxide results

Figure 2 Downshire Way one hour nitrogen dioxide results

Figure 3 Trends in nitrogen dioxide at the continuous monitoring units

Figure 4 Trends in nitrogen dioxide in/close to AQMA Bracknell

Figure 5 Trends in nitrogen dioxide in/close to AQMA Crowthorne

Figure 6 Trends in nitrogen dioxide at sites in Bracknell town centre

Figure 7 Trends in nitrogen dioxide at sites in London Road and Jennett's Park Bracknell

Figure 8 Trends in annual mean PM₁₀ at continuous monitoring units

Figure 9 Trend in PM₁₀ 24 hour means at continuous monitoring units

Figure 10 Foxhill School PM₁₀ daily mean

Figure 11 Downshire Way PM₁₀ daily mean

Figure 12 Comparison of PM₁₀ daily mean

Map 1 Bracknell AQMA

Map 2 Crowthorne AQMA

Map 3 Automatic monitoring sites in Bracknell Forest

Map 4 Non automatic monitoring sites within and close to Bracknell AQMA

Map 5 Non automatic monitoring sites in Bracknell Town Centre

Map 6 Non automatic monitoring sites within and close to Crowthorne AQMA

Map 7 Non automatic monitoring sites London Road Bracknell and Binfield

Map 8 Non automatic monitoring sites Jennett's Park Bracknell

1 Local Air Quality Management

This report provides an overview of air quality in Bracknell Forest during 2017. It fulfils the requirements of Local Air Quality Management (LAQM) as set out in Part IV of the Environment Act (1995) and the relevant Policy and Technical Guidance documents.

The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where an exceedance is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives. This Annual Status Report (ASR) is an annual requirement showing the strategies employed by Bracknell Forest to improve air quality and any progress that has been made.

The statutory air quality objectives applicable to LAQM in England can be found in Table E.1 in Appendix E.

2 Actions to Improve Air Quality

2.1 Air Quality Management Areas

Air Quality Management Areas (AQMAs) are declared when there is an exceedance or likely exceedance of an air quality objective. After declaration, the authority must prepare an Air Quality Action Plan (AQAP) within 12-18 months setting out measures it intends to put in place in pursuit of compliance with the objectives.

A summary of AQMAs declared by Bracknell Forest can be found in Table 2.1.

Further information related to declared or revoked AQMAs, including maps of AQMA boundaries are available online at:

https://uk-air.defra.gov.uk/aqma/details?aqma_ref=678 .

Alternatively, see Appendix D: Map(s) of Monitoring Locations and AQMAs, which provides for a map of air quality monitoring locations in relation to the AQMA(s).

Table 2.1 – Declared Air Quality Management Areas

AQMA Name	Date of Declaration	Pollutants and Air Quality Objectives	City / Town	One Line Description	Is air quality in the AQMA influenced by roads controlled by Highways England?	Level of Exceedance (maximum monitored/modelled concentration at a location of relevant exposure)				Action Plan		
						At Declaration		Now		Name	Date of Publication	Link
AQMA Bracknell	Declared 09/02/2011, Amended 2012	Nitrogen Dioxide annual mean	Bracknell	The A322 Bagshot Road and Downshire Way from Berkshire Way to junction with B3430	NO	50.3	µg/m ³	38.4	µg/m ³	BFC Air Quality Action Plan	2014	https://www.bracknell-forest.gov.uk/sites/default/files/documents/air-quality-action-plan-2014_0.pdf
AQMA Crowthorne	Declared 09/02/2011, Amended 2012	Nitrogen Dioxide annual mean	Crowthorne	Part B3348, High Street & part of Sandhurst Road	NO	41.7	µg/m ³	42.0	µg/m ³	BFC Air Quality Action Plan	2014	https://www.bracknell-forest.gov.uk/sites/default/files/documents/air-quality-action-plan-2014_0.pdf

☒ Bracknell Forest Council confirm the information on UK-Air regarding their AQMA(s) is up to date

2.2 Progress and Impact of Measures to address Air Quality in Bracknell Forest

Defra's appraisal of last year's ASR concluded that the evidence provided was acceptable for all sources and pollutants. The following describes how the comments have been addressed:

- The exceedance at site 27 (3M roundabout) diffusion tube site does not require further analysis as the 2017 distance corrected result was 30.6 µg/m³.
- The other comments related to the bias adjustment: Bracknell Forest confirm that the automatic monitoring site is roadside therefore relevant.
- The site classifications have been checked and are detailed in Table A.2.

Bracknell Forest Council has taken forward a number of direct measures during the current reporting year of 2017 in pursuit of improving local air quality. Details of all measures completed, in progress or planned are set out in Table 2.2.

More detail on these measures can be found in their respective Action Plans. Key completed measures are:

- Completion of replacement of flat top humps to speed cushions on High Street Crowthorne - this is within the Crowthorne AQMA to reduce the start/stop traffic and maintain an even speed
- Freight Strategy developed as part of the Traffic Management Strategy, and
- Continuation of the provision of electric car charging points to commercial and residential developments through the development control process.

Bracknell Forest expects the following measures to be completed over the course of the next reporting year:

- Final section of A332 at Downshire Way to be dual carriageway- this is following National Productivity Infrastructure Framework funding being secured, which is within the Bracknell AQMA to improve movement during peak hours and reduce emissions.

Bracknell Forest Council's priorities for the coming year are:

- to investigate other measures to improve the flow of traffic along Crowthorne High Street due to delays in objections to planning applications to improve this location at the centre of the Crowthorne AQMA
- Electric charging points – consideration of on street provisions in residential locations to encourage greater uptake of electric vehicles, and
- Progress the Local cycling and walking improvement plan – technical input from DfT secured.

The principal challenges and barriers to implementation that Bracknell Forest Council anticipates facing are related to resources and lack of funding to implement more actions.

Progress on the following measures has been slower than expected due to: resources and lack of funding to implement more actions.

Whilst the measures stated above and in Table 2.2 will help to contribute towards compliance, Bracknell Forest Council anticipates that further additional measures not yet prescribed will be required in subsequent years to achieve compliance and enable the revocation of Bracknell and Crowthorne AQMAs.

Table 2.2 – Progress on Measures to Improve Air Quality

Measure No.	Measure	EU Category	EU Classification	Organisations involved and Funding Source	Planning Phase	Implementation Phase	Key Performance Indicator	Reduction in Pollutant / Emission from Measure	Progress to Date	Estimated / Actual Completion Date	Comments / Barriers to implementation
1	Improvements and signalisation of the Horse and Groom Roundabout	Traffic Management	Strategic highway improvements, Re-prioritising road space away from cars, including Access management, Selective vehicle priority, bus priority, high vehicle occupancy lane	BFC	2012	2012	Reduce queues and journey time	Reduction in NO2 concentrations to below the objective in the AQMA 1	Work complete	Completed 2012	These 4 measures are part of the wider improvements of the A322/A329 corridor. Monitoring will start one year after final junction complete (April 2017) to allow traffic and road users to adapt to the new junctions. Some journey time monitoring has been undertaken, during July and November 2016, following the completion of the Coral Reef scheme. This showed an overall improvement in peak hour journey times along the whole corridor (incl. above schemes) between Coppid Beech roundabout and Swinley Gyratory.
2	Improvements and signalisation of the Sports Centre Roundabout	Traffic Management	Strategic highway improvements	BFC	2013	2014	Reduce queues and journey time	Reduction in NO2 concentrations to below the objective in the AQMA 1	Work complete	Completed Feb 2015	As above

Bracknell Forest Borough Council

3	Capacity and safety improvements including full signalisation at Twin Bridges Roundabout	Traffic Management	Strategic highway improvements	BFC	2013	2013-2015	Reduce queues in peak time	Reduction in NO2 concentrations to below the objective in the AQMA 1	Installation of MOVA and works complete	Completed 2015	As Above
4	Widening of Downshire Way from Horse and Groom roundabout to Twin Bridges	Traffic Management	Strategic highway improvements	BFC	2013	2013-2016	Reduce queues and journey time	Reduction in NO2 concentrations to below the objective in the AQMA 1	Work complete	Completed March 2015	As above. In addition, the council is currently looking at options to upgrade Downshire Way to dual carriageway standard - Funding secures spring 2018
5	Capacity and safety improvements at junction with B3348 Dukes Ride and A321 Wokingham Rd	Traffic Management	Strategic highway improvements	BFC and WBC	2012	2014-2015	Reduce queues in peak time	Reduction in NO2 concentrations to below the objective in the AQMA 1	Work complete	Completed	Work led by WBC, outside of Bracknell Forest boundary. This was not a major scheme so unlikely any significant monitoring will be undertaken
6	Improvements to Dukes Ride/Bracknell Road junction	Traffic Management	Strategic highway improvements	BFC	2015	2017	Reduce queues and journey time	Reduction in NO2 concentrations to below the objective in AQMA 2	Work not started	2018	This action is subject to funding through the LTP.
7	Crowthorne High Street improvements – speed cushions replacing flat top humps	Traffic Management	Other –Traffic calming	BFC	2012	2013-2015	Reduce stop start traffic to reduce emissions	Reduction in emissions from these types of measures can be in the order of 5% leading to a reduction in NO2 concentration in AQMA 2	Work complete 2014	2016	We are looking to move the bus shelter and improve the junction at the top (Eastern) end of Crowthorne High street, which should improve traffic flow and reduce queueing

Bracknell Forest Borough Council

8	Improvements to bus stops to aid flow of traffic and reduce queuing	Transport Planning and Infrastructure	Bus route improvements	BFC	2014	2014-2018	Reduce queueing at bus stops and bus station to smooth flow. increase in number of people using buses	Reduction in background NO2, PM10 and PM2.5 concentrations across the borough	Bus station complete. Bus stop work ongoing when required.	2017/2018	Improvements have been made to bus fleet, 85 meet Euro VI, 65% meet Euro V and only 1 bus used for emergencies only falls below Euro IV.
9	Improve signage along key routes including Bagshot Road in the AQMA	Transport Planning and Infrastructure	Cycle Network	BFC	2014	2017	Increase cycling rate	Reduction in background NO2, PM10 and PM2.5 concentrations across the borough	Work in progress. Signs improved as required.	2016/2017	Data from annual walking and cycling survey shows increase in cycling by 9% from 2016, and an increase in walking of 0.2%
10	Delivery plan and provision of rear service year to reduce number of delivery vehicles unloading in Crowthorne High Street	Freight and Delivery Management	Delivery plans	BFC	2014	2014-2018	Reduce unloading and loading by 50% along section of High Street and smooth traffic flow	Reduction in background NO2, PM10 and PM2.5 concentrations across the borough	In progress. Council is working with shop owners to gain planning permission to use rear access.	2018	Long term action that is depending on gaining permission from shops
11	Provision of real time information at all roadside displays	Promoting Travel Alternatives	Other – Real Time Travel Information	BFC	2012	2014-2018	Increase in number of people using bus and rail	Reduction in background NO2, PM10 and PM2.5 concentrations across the borough	Real time information is provided at the bus station, rail station and a number of key hubs and shopping destinations.	2018	A new RTI screen was installed in May 2017 on the approach to the bus station from Station Park. The Council's bid to the Access Fund in 2016 was unsuccessful. The council will continue to look for funding opportunities
12	Updating the Council's website to include	Promoting Travel Alternatives	Other – Real Time Travel Information	BFC	2014	2014-2018	Increase in number of people using bus and rail	Reduction in background NO2, PM10 and PM2.5 concentrations	Work is ongoing and website now has links to real-time information from external sites	2018	Work to update the council's transport and travel web pages is ongoing, and we are looking at using the

Bracknell Forest Borough Council

13	Commissioning further work with Government funding into smart ticketing	Promoting Travel Alternatives	Other – Smart Ticketing	BFC	2014	2014-2015	Increase in number of people using bus and rail	Reduction in background NO2, PM10 and PM2.5 concentrations across the borough	No specific progress on this as no funding available.	2016/2017	It is anticipated that smart ticketing (e.g. contactless payment) will happen over time by rail and bus companies. It is believed this will be a national rather than local change.
14	Undertaking targeted marketing to households and businesses within 150m of the key routes to encourage cycling and walking	Promoting Travel Alternatives	Promotion of Cycling and Walking	BFC	2014	2014	Increase in cycling and walking	Reduction in background NO2, PM10 and PM2.5 concentrations across the borough	LSTF study complete - The councils work going forward is to target a wider area through social media	Complete 2014. Work to be continued.	Original survey conducted through LSTF project completed and showed cycling increased by 57% on Bagshot Road. Further promotion work took place in 2016 as part of a targeted facebook campaign. The council are working with public health to use videos promoting cycling round the borough. Two further campaigns are planned for bike to work week and cycle to work day.
15	Development of travel plans by schools within the Borough	Promoting Travel Alternatives	School Travel Plans	BFC	2013	Ongoing	Reduction in local car journeys	Reduction in background NO2, PM10 and PM2.5 concentrations across the borough	35 out of 37 schools (95%) have a travel plan	Ongoing	Council actively works with schools to use and update their plans and encourage cycling and walking. Bikeability classes are run each year. No current information on impact on car journeys available.
16	Development of two programmes of	Promoting Travel Alternatives	Personalised Travel Planning	BFC	2014	2015	Reduce local car journeys	Reduction in background NO2, PM10 and PM2.5	LSTF study completed	Complete 2014. Work to be continued as part of DfT	Several large employers run mini-buses for staff travelling from the
17	Through the programme of replacement	Promoting Low Emission Transport	Public Vehicle Procurement	BFC	2013	2014	Reduce vehicle NOx and PM emissions	Reduction in background NO2, PM10 and PM2.5 concentrations	Contractor fleet min Euro 4 standard on recent contracts (e.g. refuse and highway)	Ongoing	This measure is ongoing as part of procurement of new vehicles.

Bracknell Forest Borough Council

	nt ensure that fleet vehicles continue to comply with current emission levels							across the borough			
18	Consider introducing electric cars as pool cars	Promoting Low Emission Transport	Public Vehicle Procurement	BFC	2013	2014	Reduce vehicle NOx and PM emissions	Reduction in background NO2, PM10 and PM2.5 concentrations across the borough	Procured one electric car and considering procuring a further pool car.	Ongoing	Provision for electric car charging increasing to encourage use of vehicles. Currently available in Council staff and public car parks, fleet depot, Waitrose and new multi-storey car park. The council are looking to move to electric vehicles once their lease on the petrol cars expires.

2.3 PM_{2.5} – Local Authority Approach to Reducing Emissions and/or Concentrations

As detailed in Policy Guidance LAQM.PG16 (Chapter 7), local authorities are expected to work towards reducing emissions and/or concentrations of PM_{2.5} (particulate matter with an aerodynamic diameter of 2.5µm or less). There is clear evidence that PM_{2.5} has a significant impact on human health, including premature mortality, allergic reactions, and cardiovascular diseases.

Bracknell Forest is taking the following measures to address PM_{2.5}: Although England has not set an air quality objective for PM_{2.5}, the PHOF enables Council's Public Health and Environment departments to work together to priorities action on air quality. Many of the actions that Bracknell Forrest are working on to reduce vehicle related emissions will address PM_{2.5} concentrations. Of those measures in the action plan, the following are examples of those that will contribute towards PM_{2.5} reductions:

- Cycle network and promoting cycling and walking
- Promoting low emission Council vehicles
- Traffic calming measures in Crowthorne High Street, and
- Strategic highway improvements to smooth traffic flow and reduce journey times.

3 Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance

3.1 Summary of Monitoring Undertaken

3.1.1 Automatic Monitoring Sites

This section sets out what monitoring has taken place and how it compares with objectives.

Bracknell Forest undertook automatic (continuous) monitoring at 2 sites during 2017, both sites monitoring NO₂ and PM₁₀. Foxhill School is a background site and Downshire Way is a roadside site. Table A.1 in Appendix A shows the details of the sites. NB. Local authorities do not have to report annually on the following pollutants: 1,3 butadiene, benzene, carbon monoxide and lead, unless local circumstances indicate there is a problem. National monitoring results are available at:

<https://uk-air.defra.gov.uk/data/> .

Maps showing the location of the monitoring sites are provided in Appendix D. Further details on how the monitors are calibrated and how the data has been adjusted are included in Appendix C.

3.1.2 Non-Automatic Monitoring Sites

Bracknell Forest undertook non- automatic (passive) monitoring of NO₂ at 46 sites during 2017. Table A.2 in Appendix A shows the details of the sites. A full review of the details of the non-automatic monitoring sites has been carried out and amendments have been made. The revised details have been provided in Table A.2, in particular some site names now reflect the monitoring site more specifically; site type have been reviewed and now remove all references to façade; grid references updated; and distances to relevant exposure and distance to kerb now more accurate. This needs to be taken into consideration in the results for 2017 compared to 2016.

Maps showing the location of the monitoring sites are provided in Appendix D. Further details on Quality Assurance/Quality Control (QA/QC) for the diffusion tubes, including bias adjustments and any other adjustments applied (e.g. “annualisation” and/or distance correction), are included in Appendix C.

3.2 Individual Pollutants

The air quality monitoring results presented in this section are, where relevant, adjusted for bias, “annualisation” and distance correction. Further details on adjustments are provided in Appendix C.

3.2.1 Nitrogen Dioxide (NO₂)

Table A.3 in Appendix A compares the ratified and adjusted monitored NO₂ annual mean concentrations for the past 5 years with the air quality objective of 40µg/m³.

For diffusion tubes, the full 2017 dataset of monthly mean values is provided in Appendix B.


Table A.4 in Appendix A compares the ratified continuous monitored NO₂ hourly mean concentrations for the past 5 years with the air quality objective of 200µg/m³, not to be exceeded more than 18 times per year.

Continuous monitoring Foxhill School Bracknell

Concentrations at Foxhill School were the lowest than the previous 4 years with the annual mean of 15.8µg/m³ recorded (compared to the slightly higher 16.2µg/m³ result of the passive co-location study). There were no one hour exceedances, with the range from 1.0-112.7 µg/m³. There was very good data capture of 96.7%. Figure 1 below shows the hourly data. Overall there were no exceedances of the annual mean and one hour objectives.

Monitoring at this site ceased on 31/12/17.

Figure 1 Foxhill School one hour nitrogen dioxide results



Continuous monitoring Downshire Way Bracknell

The annual mean objective at Downshire Way is below the annual mean objective at 38.4 $\mu\text{g}/\text{m}^3$. This is a marginal increase on the previous 2 years. The co-location study result was slightly lower at 37.5 $\mu\text{g}/\text{m}^3$. There were 4 exceedances of the one hour objective (200 $\mu\text{g}/\text{m}^3$ not to be exceeded more than 18 times), with the range from 0 – 260.1 $\mu\text{g}/\text{m}^3$. All exceedances recorded on weekdays during the evening rush hour period. They were on : Thursday 05/01/17 19:00-20:00 (208 $\mu\text{g}/\text{m}^3$), Wednesday 18/01/17 17:00-18:00 (250 $\mu\text{g}/\text{m}^3$), 18:00-19:00 (260 $\mu\text{g}/\text{m}^3$) and 19:00-20:00 (245 $\mu\text{g}/\text{m}^3$). Exceedances on both these days were also seen at Newbury and on 05/01/17 at Wokingham nearby. There was excellent data capture of 98.5%. Figure 2 below shows the hourly data.

Overall there were no exceedances of the annual mean and one hour objectives.

Figure 2 Downshire Way one hour nitrogen dioxide results





Figure 3 below shows the 5 year trends in annual mean concentrations at the 2 automatic monitoring units. It can be seen that the concentrations at the background site are well below the objective and have remained fairly consistent over the last 5 years which is to be expected in this location. The concentrations at the roadside site have remained consistent for the last 3 years and have all been below the objective level. Should this continue in 2018 the revocation of the AQMA for Bracknell will be considered.

Figure 3 Trends in nitrogen dioxide at the continuous monitoring units

Diffusion Tube data


For diffusion tubes, the full 2017 dataset of monthly mean values is provided in Appendix B, which include the distance correction to nearest exposure.

Bracknell AQMA

There were no sites within the Bracknell AQMA which have exceeded the annual mean objective. The co-location study at site 86 Downshire Way automatic monitor was below the objective level for the second year and the result of $37.5 \mu\text{g}/\text{m}^3$ is marginally lower than the automatic level result of $38.4 \mu\text{g}/\text{m}^3$. All 12 sites within AQMA reduced compared to the 2016 level. The 2 sites (1xyz and 96) close to the AQMA boundary both reduced compared to the 2016 level. The results are shown below in Figure 4.

There were no levels where the annual mean was greater than $60 \mu\text{g}/\text{m}^3$, which indicates that an exceedance of the 1-hour mean objective is also likely at these sites.


Figure 4 Trends in nitrogen dioxide in/close to AQMA Bracknell



Crowthorne AQMA

Of the nine sites within the AQMA there was one exceedance at site 58 Pine View Bracknell Road with a result of 42 $\mu\text{g}/\text{m}^3$. This is the 5th year of exceedance but a reduction on the 2016 level of 49 $\mu\text{g}/\text{m}^3$. Site 32 The Bungalow Bracknell Road reduced to 37.3 $\mu\text{g}/\text{m}^3$, the first time it has not exceeded the objective in the previous 4 years. All sites within the AQMA reduced compared to the 2016 level. Site 84 24/26 Dukes Ride close to the AQMA boundary also reduced compared to the 2016 level. The results are shown below in Figure 5.

There were no levels where the annual mean was greater than 60 $\mu\text{g}/\text{m}^3$, which indicates that an exceedance of the 1-hour mean objective is also likely at these sites.

Figure 5 Trends in nitrogen dioxide in/close to AQMA Crowthorne

Outside of the AQMAs

The results show that the diffusion tube concentrations have significantly decreased from 2016 levels at all sites outside the two AQMAs at all site types. The levels are lower than those recorded in 2013. Figures 6 and 7 below show the trends in locations in Bracknell away from the AQMA.

Site 27 did not exceed in 2017 (unlike 2013, 2014 and 2016) and was well below the objective level at $30.6\mu\text{g}/\text{m}^3$. Therefore there is no requirement to do any further assessment at this location and monitoring will continue in 2018.

11 new sites commenced in 2017 (sites 111-121) all within Bracknell town centre and surroundings to assess the effect of changes in traffic due to the town centre regeneration and opening on the new shopping centre. There were no exceedances and the levels ranged between 20.9 to $23.4\mu\text{g}/\text{m}^3$.

There were no levels where the annual mean was greater than $60\mu\text{g}/\text{m}^3$, which indicates that an exceedance of the 1-hour mean objective is also likely at these sites.

This overall reduction from 2016 levels has been seen in nearby areas outside the Borough.

Figure 6 Trends in nitrogen dioxide at sites in Bracknell town centre





Figure 7 Trends in nitrogen dioxide at sites in London Road and Jennett's Park Bracknell



3.2.2 Particulate Matter (PM₁₀)

Table A.5 in Appendix A compares the ratified and adjusted monitored PM₁₀ annual mean concentrations for the past 5 years with the air quality objective of 40µg/m³.


Table A.6 in Appendix A compares the ratified continuous monitored PM₁₀ daily mean concentrations for the past 5 years with the air quality objective of 50µg/m³, not to be exceeded more than 35 times per year.

PM₁₀ annual mean

The annual mean concentration was well below the objective at both monitoring sites. The level at the roadside Downshire Way was 19.0µg/m³ and 14.1µg/m³ at background Foxhill School. Concentrations were consistent with levels reported in previous years and have declined slightly in the last five years. The A322 corridor is a stretch of road which forms the AQMA Bracknell which over the past 5 years has seen widening in order to manage congestion. (This work will continue in 2018 following national projection funding being secured to proceed with the final section of dualisation which is the section immediately adjacent to the continuous monitor.)

The levels are the lowest at both sites in the last 5 years as shown in Figure 8 below. Therefore was no exceedance of the annual mean objective.

Figure 8 Trends in annual mean PM₁₀ at continuous monitoring units



PM₁₀ daily mean

The daily mean concentration was exceeded on 2 days at Foxhill School (on Sunday 22/01/17 and Monday 23/01/17) and 4 days at Downshire Way (on Friday 06/01/17, Wednesday 18/01/17, Sunday 22/01/17 and Monday 23/01/17). These are both well below the permitted number of 35 exceedances per year. On the 18/01/17 exceedances of the 1 hour nitrogen dioxide were also recorded. Figure 9 below shows the trend in 24 hour mean results, Figure 10 shows the 2017 daily mean results for Foxhill School and Figure 11 shows the 2017 Downshire Way daily mean. These results are similar to previous years data.

Therefore was no exceedance of the daily mean concentration.

Figure 9 Trend in PM₁₀ 24 hour means at continuous monitoring units




Figure 10 Foxhill School PM₁₀ daily mean






Figure 11 Downshire Way PM₁₀ daily mean



A comparison of both Bracknell sites with the Reading AURN sites and the Chilbolton Observatory AURN site (a rural background site in located between Andover and

Winchester), shows slightly lower levels comparatively to the other sites, as shown in Figure 12 below. The PM10 compares well for the year, with similar peaks and troughs. It is clear how the baselines match up and rise together at the same points throughout the year. Concentrations at Downshire way are generally higher than the other sites in September and late November/early December, and at a few other points throughout the year.

Figure 12 Comparison of PM₁₀ daily mean



3.2.3 Particulate Matter (PM_{2.5})

No particulate matter (PM_{2.5}) monitoring is undertaken.

3.2.4 Sulphur Dioxide (SO₂)

No sulphur dioxide monitoring is undertaken.

Appendix A: Monitoring Results

Table A.1 – Details of Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA?	Monitoring Technique	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) ⁽²⁾	Inlet Height (m)
CM1	Fox Hill School	Urban Background	486992	167898	NO ₂ ; PM ₁₀	N	Chemiluminescent; TEOM	N/A	N/A	2.7
CM2	Downshire Way (1)	Roadside	486917	168495	NO ₂ , PM ₁₀	Y	Chemiluminescent; TEOM	1	8	2.7

Notes:

(1) 0m if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).

(2) N/A if not applicable.

Table A.2 – Details of Non-Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA?	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) ⁽²⁾	Tube collocated with a Continuous Analyser?	Height (m)
1def	Sports Centre Bagshot Road	Kerbside	487230	168840	NO2	YES	35	1	NO	1.6
1xyz	Rectory Close lamp post	Roadside	487140	168407	NO2	YES	6.5	14	NO	1.7
12xyz	Old Bracknell Close Verge	Kerbside	486560	168794	NO2	YES	18	1	NO	1.7
17/18/19	Fox Hill School	Urban background	486959	167915	NO2	NO	26	121	YES	2.6
27x	3M roundabout (24 Binfield Road)	Kerbside	486671	169599	NO2	NO	9	1	NO	1.3
29x	8 Clintons Green	Kerbside	486347	169534	NO2	NO	9	1	NO	2.8
32xyz	8 Old Bracknell Close	Urban Background	486569	168824	NO2	NO	0	30	NO	1.7
38xyz	The Bungalow Bracknell Road	Kerbside	484353	164261	NO2	YES	5	5	NO	1.7
40xyz	229 Crowthorne High Street	Roadside	484054	163858	NO2	YES	0	3	NO	1.6
41xyz	3M Roundabout (Fowlers)	Kerbside	486622	169573	NO2	NO	16	1	NO	1.8

Bracknell Forest Borough Council

	Lane)									
42xyz	Bagshot Road Railings	Roadside	487244	168041	NO2	YES	2	3.5	NO	0.9
54xyz	opp 7-12 Elizabeth Close	Suburban	487243	168169	NO2	YES	28	18	NO	1.8
58xyz	Pine View Bracknell Road	Kerbside	484360	164263	NO2	YES	2	1	NO	1.6
65x	verge 26 Binfield Road	Kerbside	486643	169606	NO2	NO	16	0.5	NO	2.1
76xyz	2 Dukes Ride	Roadside	484188	164178	NO2	YES	2	1.5	NO	2
77x	Merydene Court, London Road	Roadside	484288	169342	NO2	NO	12	1	NO	1.9
78x	John Nike Way (Braeside)	Roadside	484348	169212	NO2	NO	5	2	NO	2.1
79x	Park Road (Kelvin Gate)	Roadside	487481	169436	NO2	NO	0	3	NO	1.8
82xyz	19 Boxford Ridge	Roadside	486751	168661	NO2	YES	0	14	NO	1.9
83xyz	75 Glebewood	Suburban	487216	167940	NO2	YES	7	30	NO	1.8
84xyz	24/26 Dukes Ride (Playhouse)	Roadside	484123	164189	NO2	NO	8	1.5	NO	1.8
85xyz	72 Fletcher Cottage, Crowthorne High Street	Roadside	484138	164075	NO2	YES	0	4.5	NO	1.6
86xyz	Downshire Way continuous monitor	Roadside	486501	168850	NO2	YES	1	7	YES	2.6

Bracknell Forest Borough Council

90xyz	Dive shop, Bracknell Road	Roadside	484408	164341	NO2	YES	17	3.5	NO	1.6
91xyz	The Mount, Bracknell Road	Roadside	484352	164249	NO2	YES	0	6	NO	1.7
93xyz	The Prince Alfred PH, 2 High Street	Roadside	484176	164159	NO2	YES	0	4	NO	1.8
95xyz	3 Leverkusen Road	Suburban	486941	168537	NO2	YES	0	24	NO	1.7
96xyz	Trotters Folly, Bagshot Road	Roadside	487057	168562	NO2	NO	0	14	NO	1.5
97xyz	Linden House	Roadside	487166	168470	NO2	YES	0	2	NO	1.6
98xyz	67 Elizabeth Close	Roadside	487246	168065	NO2	YES	0	8	NO	2
99xyz	16 Firlands	Roadside	487258	167948	NO2	YES	0	10	NO	1.6
100xyz	Co-Op 149 Crowthorne High St	Roadside	484112	163985	NO2	NO	3	3.5	NO	1.8
108	251-269 Kelvin Gate	Roadside	487626	169316	NO2	NO	0	8.5	NO	1.8
109	213-231 Kelvin Gate	Roadside	487561	169316	NO2	NO	0	10	NO	1.8
110	113-152 Kelvin Gate	Roadside	487445	169375	NO2	NO	0	11.5	NO	1.8
111	3 Laureates Place	Roadside	484572	169649	NO2	NO	4	7	NO	1.75
112	9 Grouse Meadows	Roadside	484779	168545	NO2	NO	11	8	NO	1.75
113	10 Blackbird Place	Roadside	484526	168360	NO2	NO	6	12	NO	1.75
114	1-10 Crossways,	Suburban	484498	169700	NO2	NO	13	2	NO	1.7

Bracknell Forest Borough Council

	St Marks Road									
115	Blenheim Avenue (Rear 31 Hampden Cres)	Suburban	487265	168537	NO2	NO	2.5	3	NO	1.75
116	Broad Lane (near 3 Gibson Drive)	Roadside	487690	168673	NO2	NO	7	3.5	NO	1.85
117	Blue Smoke House, The Ring	Kerbside	4869894	169392	NO2	NO	2	0.2	NO	2.5
118	Market Street (Time Square)	Roadside	486842	169068	NO2	NO	4	2.5	NO	2
119	opp 3 Market Street (Ann Marie)	Roadside	486817	169233	NO2	NO	23	3.5	NO	2
120	1-96 Platform (Station)	Roadside	486883	168992	NO2	NO	10	1.5	NO	2.2
121	Skimped Hill Lane (Point layby)	Roadside	486702	169310	NO2	NO	12	2	NO	2

Notes:

(1) 0m if the monitoring site is at a location of exposure (e.g. installed on/adjacent to the façade of a residential property).

(2) N/A if not applicable.

Table A.3 – Annual Mean NO₂ Monitoring Results

Site ID	Site Type	Monitoring Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2017 (%) ⁽²⁾	NO ₂ Annual Mean Concentration (µg/m ³) ⁽³⁾				
					2013	2014	2015	2016	2017
CM1 Foxhill School	Urban Background	Automatic	100	96.7	19.9	17.9	16.9	18.9	15.8
CM2 Downshire Way (1)	Roadside	Automatic	N/A	N/A	40.1	N/A	N/A	N/A	N/A
CM3 Downshire Way (2)	Roadside	Automatic	100	98.5	43.6	45.8	37	37	38.4
1def Sports Centre Bagshot Road	Kerbside	Diffusion Tube	100	50	58.7	50.5	46.3	38.3	37.1
1xyz Rectory Close lamppost	Kerbside	Diffusion Tube	100	100	32.8	30.5	25.4	25.5	22.3
12xyz Downshire Way	Kerbside	Diffusion Tube	100	91.7	82.2	72.1	58.6	40.8	48.2
17/18/19 Foxhill School	Urban background	Diffusion Tube	100	100	26.8	19.1	16.5	22.6	16.2
27x 3M Roundabout (24 Binfield Road)	Kerbside	Diffusion Tube	100	91.7	46.5	52.8	16.8	43.7	43.5
29x 8 Clintons Green	Kerbside	Diffusion Tube	100	91.7	31	30.5	27.9	32.8	25.4
32xyz 8 Old Bracknell Close	Urban Background	Diffusion Tube	100	100	28.6	29.8	25.4	30.1	22.4
38xyz The Bungalow	Kerbside	Diffusion Tube	100	100	49.9	54.4	43.6	43.5	42.9

Bracknell Forest Borough Council

Bracknell Road									
40xyz 229 Crowthorne High Street	Roadside	Diffusion Tube	100	91.7	36.4	34.2	29.9	36.7	28.2
41xyz 3M Roundabout (Fowlers Lane)	Kerbside	Diffusion Tube	100	75	46.5	52.8	16.8	43.7	43.5
42xyz Bagshot Road Railings	Roadside	Diffusion Tube	100	75	31	30.5	27.9	32.8	25.4
54xyz opp 7-12 Elizabeth Close	Suburban	Diffusion Tube	100	91.7	31.7	31.7	28.4	30.8	26.7
58xyz Pine View Bracknell Road	Kerbside	Diffusion Tube	100	100	49.5	47.3	40.7	49	49.4
65x verge 26 Binfield Road	Kerbside	Diffusion Tube	100	100	36.6	28.4	33.2	30.8	28.7
76xyz 2 Dukes Ride	Kerbside	Diffusion Tube	100	83.3	35.6	36.8	33.1	37.2	30.2
77x Merydene Court London Road	Roadside	Diffusion Tube	100	100	31.7	31.1	30	34.7	27.8
78x John Nike Way (Braeside)	Roadside	Diffusion Tube	100	100	34.4	32.5	27.9	35.2	27.9
79x Park Road (Kelvin Gate)	Roadside	Diffusion Tube	100	100	40.7	30.3	27.3	30.4	23.9
82xyz 19 Boxford Ridge	Roadside	Diffusion Tube	100	100	36.7	40.2	35.7	35.6	29.2
83xyz 75 Glebewood	Suburban	Diffusion Tube	100	100	28.4	29	19.6	23.7	17.6
84xyz 24/26 Dukes Ride (Playhouse)	Kerbside	Diffusion Tube	100	100	42.8	29.9	26	29.4	25.1
85xyz 72	Roadside	Diffusion	100	91.7	29.2	27.1	24.7	50.5	23.9

Bracknell Forest Borough Council

Fletcher Cottage High Street Crowthorne		Tube							
86xyz Downshire Way continuous monitor	Roadside	Diffusion Tube	100	100	51.7	51.1	43.5	39.9	38.5
90xyz Dive shop, Bracknell Road	Roadside	Diffusion Tube	100	100	33.5	32.4	32.5	37	27.6
91xyz The Mount, Bracknell Road	Roadside	Diffusion Tube	100	100	35.5	34.4	30.4	35.3	28
93xyz The Prince Alfred PH, 2 High Street	Roadside	Diffusion Tube	100	83.3	31.1	29.3	28.2	32	25.8
95xyz 3 Leverkusen Road	Suburban	Diffusion Tube	100	91.7	26.4	25.3	25.7	28	20.9
96xyz Trotters Folly, Bagshot Road	Roadside	Diffusion Tube	100	100	28.2	27.3	22.7	26.4	20.9
97xyz Linden House	Roadside	Diffusion Tube	100	100	41.2	40	32.8	37.4	28.7
98xyz 67 Elizabeth Close	Roadside	Diffusion Tube	100	100	28.5	29.9	27.2	28.9	24.4
99xyz 16 Firlands	Roadside	Diffusion Tube	100	100	31	31.4	27.1	30.4	25.3
100xyz Co-Op 149 Crowthorne	Roadside	Diffusion Tube	100	50	28.1	30.6	27.5	23.1	23.1

Bracknell Forest Borough Council

High Street									
108 251-269 Kelvin Gate	Roadside	Diffusion Tube	100	91.7	N/A	23.8	24.9	27.6	23.5
109 213-231 Kelvin Gate	Roadside	Diffusion Tube	100	100	N/A	23.6	23.3	28.4	21.3
110 113-152 Kelvin Gate	Roadside	Diffusion Tube	100	83.3	N/A	24.2	25.2	30.2	20.8
111 3 Laureates Place	Roadside	Diffusion Tube	100	100	N/A	N/A	N/A	N/A	23.3
112 9 Grouse Meadows	Roadside	Diffusion Tube	100	83.3	N/A	N/A	N/A	N/A	25.3
113 10 Blackbird Place	Roadside	Diffusion Tube	100	100	N/A	N/A	N/A	N/A	22.6
114 1-10 Crossways, St Marks Road	Suburban	Diffusion Tube	100	83.3	N/A	N/A	N/A	N/A	27.1
115 Blenheim Avenue (Rear 31 Hampden Cres)	Suburban	Diffusion Tube	100	100	N/A	N/A	N/A	N/A	22.5
116 Broad Lane (near 3 Gibson Drive)	Roadside	Diffusion Tube	100	91.7	N/A	N/A	N/A	N/A	24.8
117 Blue Smoke House, The Ring	Kerbside	Diffusion Tube	83.3	70	N/A	N/A	N/A	N/A	23.2
118 Market Street (Time Square)	Roadside	Diffusion Tube	83.3	90	N/A	N/A	N/A	N/A	25.7
119 opp 3 Market Street (Ann Marie)	Roadside	Diffusion Tube	83.3	66.7	N/A	N/A	N/A	N/A	28.4
120 1-96 Platform (Station)	Roadside	Diffusion Tube	83.3	88.9	N/A	N/A	N/A	N/A	25.0

121 Skimped Hill Lane (Point layby)	Roadside	Diffusion Tube	83.3	44.4	N/A	N/A	N/A	N/A	26.4
-------------------------------------	----------	----------------	------	------	-----	-----	-----	-----	------

☒ Diffusion tube data has been bias corrected

☒ Annualisation has been conducted where data capture is <75%

Notes:

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

NO₂ annual means exceeding 60µg/m³, indicating a potential exceedance of the NO₂ 1-hour mean objective are shown in **bold and underlined**.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) Means for diffusion tubes have been corrected for bias. All means have been “annualised” as per Boxes 7.9 and 7.10 in LAQM.TG16 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Table A.4 – 1-Hour Mean NO₂ Monitoring Results

Site ID	Site Type	Monitoring Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2017 (%) ⁽²⁾	NO ₂ 1-Hour Means > 200µg/m ³ ⁽³⁾				
					2013	2014	2015	2016	2017
CM1 Foxhill School	Urban Background	Automatic	100	96.7	0	0	0	0	0
CM2 Downshire Way (1)	Roadside	Automatic	N/A	N/A	1	N/A	N/A	N/A	N/A
CM3 Downshire Way (2)	Roadside	Automatic	100	98.5	0	6	0	2	4

Notes:

Exceedances of the NO₂ 1-hour mean objective (200µg/m³ not to be exceeded more than 18 times/year) are shown in **bold**.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) If the period of valid data is less than 85%, the 99.8th percentile of 1-hour means is provided in brackets.

Table A.5 – Annual Mean PM₁₀ Monitoring Results

Site ID	Site Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2017 (%) ⁽²⁾	PM ₁₀ Annual Mean Concentration (µg/m ³) ⁽³⁾				
				2013	2014	2015	2016	2017
CM1 Foxhill School	Urban Background	100	93.5	18.1	17	16.8	15.1	14.1
CM2 Downshire Way (1)	Roadside	N/A	N/A	22.4	N/A	N/A	N/A	N/A
CM3 Downshire Way (2)	Roadside	100	96.5	22.7	19.1	20	19.8	19

☐ Annualisation has been conducted where data capture is <75%

Notes:

Exceedances of the PM₁₀ annual mean objective of 40µg/m³ are shown in **bold**.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) All means have been “annualised” as per Boxes 7.9 and 7.10 in LAQM.TG16, valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Table A.6 – 24-Hour Mean PM₁₀ Monitoring Results

Site ID	Site Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2017 (%) ⁽²⁾	PM ₁₀ 24-Hour Means > 50µg/m ³ ⁽³⁾				
				2013	2014	2015	2016	2017
CM1 Foxhill School	Urban Background	100	93.7	3	4	3	2	2
CM2 Downshire Way (1)	Roadside	N/A		3	N/A	N/A	N/A	N/A
CM3 Downshire Way (2)	Roadside	100	97.5	5	5	5	8	3

Notes:

Exceedances of the PM₁₀ 24-hour mean objective (50µg/m³ not to be exceeded more than 35 times/year) are shown in **bold**.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) If the period of valid data is less than 85%, the 90.4th percentile of 24-hour means is provided in brackets.

Appendix B: Full Monthly Diffusion Tube Results for 2017

Table B.1 – NO₂ Monthly Diffusion Tube Results - 2017

Site ID	NO ₂ Mean Concentrations (µg/m ³)														
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual Mean		
													Raw Data	Bias Adjusted (0.82) and Annualised ⁽¹⁾	Distance Corrected to Nearest Exposure ⁽²⁾
1 d Bagshot Road	69.0	-	-	-	-	47.4	-	46.0	42.9	-	47.7	39.9	48.8	37.1	21.7
1e Bagshot Road	67.9	-	-	-	-	35.3	-	44.2	44.1	-	53.7	31.5	46.1		
1 f Bagshot Road	65.4	-	-	-	-	42.5	-	46.0	45.5	-	53.9	43.5	49.5		
1x Rectory Lane	43.4	35.1	31.7	29.2	20.4	17.8	23.1	23.5	23.6	22.0	29.2	22.6	26.8	22.3	21.2
1y Rectory Lane	47.1	30.6	29.6	29.9	27.4	16.4	21.4	20.8	24.3	22.1	29.0	23.0	26.8		
1z Rectory Lane	45.3	35.7	31.8	27.9	31.6	17.2	21.0	22.8	23.5	23.1	31.6	25.6	28.1		
12x Downshire Way	70.2	41.3	54.7	50.9	-	56.5	49.5	65.3	54.9	54.4	59.3	87.5	58.6	48.2	29.0
12y Downshire Way	80.9	40.3	50.4	58.4	-	53.8	52.7	62.8	57.2	54.7	60.8	73.3	58.7		
12z Downshire Way	76.9	43.2	52.2	52.3	-	57.6	58.6	56.4	50.4	54.8	60.7	88.5	59.2		
17 Foxhill School	37.3	25.2	20.1	17.6	19.2	12.7	12.5	14.7	19.2	18.3	24.1	20.3	20.1	16.2	
18 Foxhill School	38.1	23.8	23.6	16.4	17.9	10.6	12.4	14.1	17.2	16.5	27.1	25.6	20.3		
19 Foxhill	37.3	21.7	21.5	15.9	19.2	9.3	12.1	14.9	17.0	17.3	23.1	18.5	19.0		

Bracknell Forest Borough Council

School															
27x 3M R/about	84.9	31.4	56.3	46.1	-	45.2	23.6	25.7	61.3	75.8	64.8	69.3	53.1	43.5	30.6
29 x Clintons Close	55.7	34.9	29.7	22.4	-	28.0	24.1	23.5	28.7	31.2	32.3	31.0	31.0	25.4	20.9
32x 8 Old Bracknell Close (receptor)	45.4	27.5	27.2	26.4	21.5	18.2	21.1	24.0	25.7	26.7	29.7	30.0	26.9	22.4	
32y 8 Old Bracknell Close (receptor)	41.4	29.6	27.8	27.5	21.4	22.6	21.1	26.8	25.3	25.6	27.3	29.8	27.2		
32z 8 Old Bracknell Close (receptor)	43.5	30.6	23.2	26.0	22.8	19.8	22.2	25.8	28.6	28.0	30.7	30.9	27.7		
38x Bracknell Road (the Bungalow)	81.9	57.2	61.8	48.5	39.7	43.5	38.1	44.7	43.6	61.1	55.3	47.7	51.9	42.9	37.3
38y Bracknell Road (the Bungalow)	85.5	71.2	58.5	52.6	44.5	39.9	32.3	45.3	52.1	59.0	59.8	47.0	54.0		
38z Bracknell Road (the Bungalow)	81.2	69.4	47.1	49.2	45.6	37.5	35.9	44.7	45.0	58.9	55.1	44.3	51.2		
40x Crowthorne High Street - card shop (receptor)	57.6	37.1	30.9	35.4	36.1	26.7	27.7	28.6	-	38.7	35.6	31.1	35.0	28.2	
40y Crowthorne High Street - card shop (receptor)	56.6	35.3	34.2	30.2	32.7	28.4	24.8	28.5	-	35.3	37.2	34.3	34.3		
40z Crowthorne High Street - card shop (receptor)	55.2	40.3	31.9	32.4	32.2	25.4	28.9	29.0	-	27.9	37.1	31.7	33.8		
41x 3M R/about (Lamp post)	58.9	60.0	32.3	24.5	30.3	-	56.0	24.6	28.8	-	-	31.6	36.6	30.0	21.9

Bracknell Forest Borough Council

42x Bagshot Road	66.0	53.2	44.5	-	-	-	-	37.2	50.3	39.4	61.0	55.8	50.9	33.2	31.1
42y Bagshot Road	74.9	52.7	33.7	-	-	-	-	36.0	47.0	-	54.0	49.1	49.1		
42z Bagshot Road	71.7	49.1	38.5	-	-	-	-	35.0	41.0	43.3	62.6	45.6	48.3		
54 x Elizabeth Close	43.8	37.1	28.6	33.5	-	18.3	23.2	28.1	24.2	35.5	41.6	37.1	31.9	26.7	21.8
54y Elizabeth Close	45.2	31.8	29.7	32.9	-	-	22.3	27.9	30.0	32.8	44.3	37.3	33.4		
54z Elizabeth Close	44.4	34.0	29.2	-	-	19.0	22.1	27.2	28.9	33.1	41.1	44.7	32.4		
58x Bracknell Rd (Pine View)	73.6	55.2	49.9	67.5	-	67.3	58.6	62.8	53.4	-	62.6	56.6	60.8	49.4	42.0
58y Bracknell Rd (Pine View)	76.7	53.8	42.8	66.6	51.0	65.3	-	55.9	55.6	78.8	67.5	63.1	59.8		
58z Bracknell Rd (Pine View)	75.7	57.3	49.2	67.5	48.8	59.5	52.6	58.5	56.0	46.9	73.0	62.2	60.0		
65x Binfield Road	58.6	37.1	31.1	23.5	26.7	20.8	22.8	54.7	31.9	32.5	42.6	38.1	35.0	28.7	20.7
76 X Dukes Ride (o/s bank)	52.3	39.9	34.7	-	36.8	28.5	29.0	29.9	34.7	-	43.3	36.6	36.6	30.2	27.5
76 Y Dukes Ride (o/s bank)	54.9	37.1	35.1	-	33.6	28.0	30.3	30.3	33.8	-	43.5	38.7	36.5		
76 Z Dukes Ride (o/s bank)	53.5	40.0	-	-	36.3	31.9	26.7	29.6	32.9	-	47.8	37.7	37.4		
77 X London Road, Binfield (Merydene)	53.8	39.3	33.6	15.6	26.9	25.0	27.5	28.5	29.9	38.3	43.8	44.6	33.9	27.8	21.6
78 X John Nike Way	61.7	36.8	33.0	32.7	26.8	27.7	27.3	27.8	29.7	29.9	39.9	34.5	34.0	27.9	24.3
79 X Park Rd - Celsius (receptor)	50.1	30.0	26.7	26.4	25.1	19.4	21.2	24.5	28.9	31.1	35.5	31.2	29.2	23.9	
82 X Downshire Way - Boxford (receptor)	39.3	35.5	31.2	30.5	27.8	42.2	34.1	39.4	36.9	38.8	39.4	33.2	35.7	29.2	

Bracknell Forest Borough Council

82 Y Downshire Way - Boxford (receptor)	40.8	33.4	31.3	33.5	27.8	42.7	34.8	38.6	32.5	39.9	38.0	36.7	35.8		
82 Z Downshire Way - Boxford (receptor)	47.5	36.4	31.8	31.8	29.5	41.0	36.3	32.7	28.6	39.1	37.4	32.4	35.4		
83 X Bagshot Rd - Glebewood (receptor)	37.3	25.4	22.7	20.2	19.8	11.8	16.0	17.3	20.3	20.4	26.4	19.5	21.4	17.6	17.4
83 Y Bagshot Rd - Glebewood (receptor)	41.9	25.1	21.7	18.7	21.5	11.6	15.2	15.8	19.3	22.0	24.9	22.4	21.7		
83 Z Bagshot Rd - Glebewood (receptor)	40.3	25.8	23.2	18.1	21.6	11.7	13.4	15.5	20.6	20.8	24.7	20.1	21.3		
76 Y Dukes Ride (o/s bank)	54.9	37.1	35.1	-	33.6	28.0	30.3	30.3	33.8	-	43.5	38.7	36.5		
76 Z Dukes Ride (o/s bank)	53.5	40.0	-	-	36.3	31.9	26.7	29.6	32.9	-	47.8	37.7	37.4		
77 X London Road, Binfield (Merydene)	53.8	39.3	33.6	15.6	26.9	25.0	27.5	28.5	29.9	38.3	43.8	44.6	33.9	27.8	21.6
78 X John Nike Way	61.7	36.8	33.0	32.7	26.8	27.7	27.3	27.8	29.7	29.9	39.9	34.5	34.0	27.9	24.3
79 X Park Rd - Celsius (receptor)	50.1	30.0	26.7	26.4	25.1	19.4	21.2	24.5	28.9	31.1	35.5	31.2	29.2	23.9	
82 X Downshire Way - Boxford (receptor)	39.3	35.5	31.2	30.5	27.8	42.2	34.1	39.4	36.9	38.8	39.4	33.2	35.7	29.2	
82 Y Downshire Way - Boxford (receptor)	40.8	33.4	31.3	33.5	27.8	42.7	34.8	38.6	32.5	39.9	38.0	36.7	35.8		
82 Z Downshire Way - Boxford (receptor)	47.5	36.4	31.8	31.8	29.5	41.0	36.3	32.7	28.6	39.1	37.4	32.4	35.4		
83 X Bagshot	37.3	25.4	22.7	20.2	19.8	11.8	16.0	17.3	20.3	20.4	26.4	19.5	21.4	17.6	17.4

Bracknell Forest Borough Council

Rd - Glebewood (receptor)															
83 Y Bagshot Rd - Glebewood (receptor)	41.9	25.1	21.7	18.7	21.5	11.6	15.2	15.8	19.3	22.0	24.9	22.4	21.7		
83 Z Bagshot Rd - Glebewood (receptor)	40.3	25.8	23.2	18.1	21.6	11.7	13.4	15.5	20.6	20.8	24.7	20.1	21.3		
79 X Park Rd - Celsius (receptor)	50.1	30.0	26.7	26.4	25.1	19.4	21.2	24.5	28.9	31.1	35.5	31.2	29.2	23.9	
82 X Downshire Way - Boxford (receptor)	39.3	35.5	31.2	30.5	27.8	42.2	34.1	39.4	36.9	38.8	39.4	33.2	35.7	29.2	
82 Y Downshire Way - Boxford (receptor)	40.8	33.4	31.3	33.5	27.8	42.7	34.8	38.6	32.5	39.9	38.0	36.7	35.8		
82 Z Downshire Way - Boxford (receptor)	47.5	36.4	31.8	31.8	29.5	41.0	36.3	32.7	28.6	39.1	37.4	32.4	35.4		
83 X Bagshot Rd - Glebewood (receptor)	37.3	25.4	22.7	20.2	19.8	11.8	16.0	17.3	20.3	20.4	26.4	19.5	21.4	17.6	17.4
83 Y Bagshot Rd - Glebewood (receptor)	41.9	25.1	21.7	18.7	21.5	11.6	15.2	15.8	19.3	22.0	24.9	22.4	21.7		
83 Z Bagshot Rd - Glebewood (receptor)	40.3	25.8	23.2	18.1	21.6	11.7	13.4	15.5	20.6	20.8	24.7	20.1	21.3		
84 X Dukes ride - Playhouse (receptor)	51.2	39.6	32.5	28.4	28.0	20.7	24.1	21.7	29.1	33.3	37.8	31.3	31.5	25.1	21.3
84 Y Dukes ride - Playhouse (receptor)	52.4	33.5	31.4	28.9	27.2	21.3	23.6	23.3	23.4	28.8	34.1	28.0	29.7		
84 Z Dukes ride - Playhouse	50.1	35.5	25.4	27.7	27.4	20.0	27.1	24.9	28.5	27.7	41.1	33.5	30.7		

Bracknell Forest Borough Council

(receptor)															
85 X 72 High Street Crowthorne (receptor)	-	30.3	30.5	31.1	26.2	20.7	25.7	27.3	31.0	32.2	35.5	35.5	29.6	23.9	
85 Y 72 High Street Crowthorne (receptor)	-	33.5	28.5	31.6	24.5	20.3	25.3	29.4	30.7	29.3	35.2	35.2	29.4		
85 Z 72 High Street Crowthorne (receptor)	-	28.4	27.9	29.4	22.4	20.8	25.8	25.8	28.3	36.2	34.2	32.6	28.4		
86 X Downshire Con Monitor	66.0	59.1	44.5	48.8	33.7	39.1	36.9	50.7	46.1	54.8	51.3	48.0	48.2	38.5	37.5
86 y Downshire Con Monitor	64.6	52.7	43.1	50.3	32.9	35.2	37.5	47.5	44.6	54.9	53.4	48.2	47.1		
86 z Downshire Con Monitor	76.2	52.6	41.1	44.7	34.7	39.7	39.0	47.7	44.2	27.4	49.1	47.8	45.4		
90x Past and present	52.9	34.5	38.3	33.4	-	26.1	28.2	28.8	32.4	27.4	35.9	34.2	33.8	27.6	22.0
90y Past and present	50.5	36.1	33.2	36.7	31.0	27.3	32.3	30.5	29.8	32.5	35.8	30.1	33.8		
90z Past and present	51.7	38.3	35.0	33.9	33.3	23.5	28.7	29.9	29.8	29.6	36.1	32.0	33.5		
91x The Mount (receptor)	53.2	40.9	34.4	32.4	27.7	22.4	25.2	29.3	33.7	36.3	41.3	37.1	34.5	28.0	
91y The Mount (receptor)	53.0	32.5	31.6	33.0	29.5	23.4	25.9	25.9	33.1	39.2	43.2	31.2	33.5		
91z The Mount (receptor)	57.4	34.7	35.1	32.3	32.4	23.0	28.0	30.3	33.0	35.7	41.3	31.4	34.6		
93x The Prince Alfred	50.2	-	32.1	31.8	30.5	24.8	29.0	27.1	26.9	31.8	-	34.2	31.8	25.8	
93y The Prince Alfred	50.4	-	32.9	33.3	26.3	23.9	26.4	26.7	30.5	32.9	-	34.9	31.8		
93z The Prince Alfred	43.6	-	30.5	32.6	26.6	26.7	25.8	27.7	29.2	33.5	-	32.2	30.8		

Bracknell Forest Borough Council

95x 3 Leverkusen Way (receptor)	49.7	25.9	28.5	25.0	21.6	18.3	17.6	22.7	24.9	24.2	30.6	31.7	26.7	20.9	
95y 3 Leverkusen Way (receptor)	47.3	26.2	29.1	24.0	22.7	19.3	17.9	24.0	22.4	26.6	29.6	29.5	26.5		
95z 3 Leverkusen Way (receptor)	-	29.2	22.5	22.0	21.1	20.2	17.8	22.8	24.8	20.0	27.1	27.2	23.2		
96x Trotters Folly	40.6	30.8	25.8	25.6	22.8	17.4	17.0	21.3	24.2	26.1	27.7	25.9	25.4	20.9	
96y Trotters Folly	40.2	32.1	26.8	22.9	23.4	18.2	17.6	21.1	24.6	25.6	28.4	26.1	25.6		
96z Trotters Folly	41.2	34.0	24.5	23.6	24.8	16.5	19.1	22.5	24.7	23.8	27.4	25.1	25.6		
97x Linden house	49.1	32.5	36.2	33.3	32.3	26.4	32.1	33.9	35.8	16.1	38.9	31.7	33.2	28.7	
97y Linden house	52.8	37.5	39.8	36.8	34.8	33.8	32.9	32.0	31.5	34.6	38.9	38.0	36.9		
97z Linden house	52.3	38.5	30.3	35.4	34.5	19.5	29.4	32.8	36.4	35.7	40.4	35.2	35.0		
98x 67 Elizabeth close	43.5	31.0	28.1	29.8	22.3	21.2	22.8	27.6	30.0	29.4	35.1	32.2	29.4	24.4	
98y 67 Elizabeth close	41.8	32.0	28.4	29.7	23.7	20.2	23.0	25.0	30.6	29.3	39.6	32.8	29.7		
98z 67 Elizabeth close	37.9	29.0	27.0	31.6	25.8	21.5	25.0	26.5	28.9	29.8	40.1	37.4	30.0		
99x 16 Firlands	40.8	29.8	26.7	29.1	25.2	25.1	25.9	30.2	32.7	33.9	38.2	38.2	31.3	25.3	
99y 16 Firlands	37.9	31.5	27.8	34.2	27.3	21.2	24.7	29.8	32.1	33.5	34.7	29.9	30.4		
99z 16 Firlands	39.3	31.4	27.6	31.4	25.7	-	28.7	27.7	30.9	32.5	32.3	33.3	31.0		
100x continuous monitor - CO- OP Crowthorne	-	31.8	-	-	25.9	21.1	-	-	-	24.5	30.1	28.4	27.0	23.1	21.9
100y continuous monitor - CO- OP Crowthorne	-	32.5	-	-	28.6	17.0	-	-	-	23.5	30.3	28.7	26.8		

Bracknell Forest Borough Council

100z continuous monitor - CO-OP Crowthorne	46.7	31.8	-	-	27.3	19.9	-	-	-	-	29.5	28.7	30.7		
108 Kelvin Gate flats (2)	41.3	30.4	28.3	24.5	-	22.7	21.3	24.6	28.0	28.2	36.4	29.2	28.6	23.5	
109 Kelvin Gate flats (3)	41.7	28.1	24.7	23.6	24.0	17.6	18.6	22.5	23.6	26.7	29.1	31.8	26.0	21.3	
110 Kelvin Gate flats (4)	-	-	26.5	24.7	26.4	17.3	20.8	23.8	25.8	25.0	33.8	29.2	25.4	20.8	
111 3 Laureates Place(London Road)	45.4	33.5	28.9	29.9	24.1	19.7	21.6	24.8	26.5	26.6	32.9	27.3	28.4	23.3	22.2
112 9 Grouse Meadows	45.0	30.6	35.0	27.1	22.9	-	-	23.7	27.7	26.4	35.1	34.5	30.8	25.3	22.4
113 10 Blackbird Place	47.9	28.7	26.9	30.2	23.0	22.5	20.8	26.1	23.7	21.6	33.7	24.6	27.5	22.6	21.5
114 St Marks Road/Crossways	51.2	-	61.4	29.8	26.4	27.2	16.7	25.4	-	26.4	34.3	31.4	33.0	27.1	21.8
115 Rear of 31 Hampden Crescent	50.0	31.3	30.1	24.3	26.0	22.5	24.2	28.8	22.1	19.8	23.2	26.6	27.4	22.5	21.4
116 Broad Lane/ Austin Way(3 Gibson Drive)	46.0	33.1	26.9	22.8	24.3	16.4	17.9	22.1	30.1	54.9	37.8	-	30.2	24.8	22.1
117 Blue Smoke House, The Ring	N/A	N/A	29.9	21.7	-	-	25.6	23.7	28.1	-	31.4	30.5	27.2	23.2	20.4
118 Market Street o/s Offices	N/A	N/A	35.3	29.1	30.1	23.9	27.7	30.2	31.2	37.0	-	36.8	31.3	25.7	23.4
119 3 Market Street (Ann Marie)	N/A	N/A	-	45.0	28.2	21.6	24.6	27.1	-	-	-	37.2	30.6	28.4	21.5
120 1-96 Platform(Station)	N/A	N/A	-	28.1	30.0	23.0	23.0	23.4	27.4	-	34.9	27.4	27.2	25.0	20.9
121 Skimped Hill Lane (point layby)	N/A	N/A	-	29.9	-	-	-	-	-	29.9	38.3	34.0	33.0	26.4	21.6

- ☒ Local bias adjustment factor used
- ☐ National bias adjustment factor used
- ☒ Annualisation has been conducted where data capture is <75%
- ☒ Where applicable, data has been distance corrected for relevant exposure

Notes:

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

NO₂ annual means exceeding 60µg/m³, indicating a potential exceedance of the NO₂ 1-hour mean objective are shown in **bold and underlined**.

(1) See Appendix C for details on bias adjustment and annualisation.

(2) Distance corrected to nearest relevant public exposure.

Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC

QA/QC for continuous monitoring

TRL carry out the QA/QC on behalf of Bracknell Forest Council.

Site Operation

Routine instrument calibrations are conducted approximately once per fortnight, which involve zero and span checks, a written record of the gas analyser diagnostics and a general visual inspection of all equipment is undertaken. There is a written operating procedure and a calibration record sheet is completed at every site visit.

Data retrieval and daily data checking

Data from the monitoring station is retrieved and processed on a Campbell CR10x data logger as 15-minute mean data. The logger was interrogated via a Siemens TC35i GSM modem at 8-hourly intervals by the ENVIEW 2000 software hosted at TRL. This was used to retrieve, check and archive data. TRL's internal QA/QC procedures require all data to be backed up on a secure server and all documentation associated with each site to be uniquely identified and securely stored to provide an audit trail. Daily data inspections are undertaken during office hours using the facilities of the Data Management System. Initial observations of the Management System indicate whether the site has been contacted during its nominated 'poll time' overnight. If this has not been successful a manual poll of the site may be required. If this is not successful further investigation of the communications integrity will be required to establish contact with the site modem and data logger. Three day plots of recorded data are viewed for the requested site, and these are inspected and assessed for continuity, validity, minimum and maximum values, date and time, power failures and general integrity. All anomalies are recorded on the Daily Check sheet, as required. Any anomalies or queries arising from daily inspection of data, or system operation, are brought to the attention of the Project Manager who will evaluate the situation, and initialise any necessary action. In the event that the PM is not available, contact will be made with the next available senior person within the monitoring team. Any issues identified with equipment operation will be referred to the client for attention within 24 hours (excluding weekends). On a weekly basis, data are examined using summary statistics and outlier analysis to establish data validity. In the event that unusual data episodes are recorded, these would be routinely examined over longer data periods to establish their impact on trends, but would also be cross referenced with data peaks and troughs recorded at other national monitoring stations. In addition, integrity and validity of data logger clock times are checked, and any significant errors recorded in the Data Management System logbook. All site data recorded through the Data Management System is archived on TRL's Network. The data is backed up daily, and the TRL IT Department maintains these data within their long-term and secure archives. This secures all data in the event of any system failure.

Data calibration and ratification

Data is ratified as per AURN recommended procedures. The calibration and ratification process for automatic gas analysers corrects the raw dataset for any drift in the zero baseline and the upper range of the instrument. This is done using a

Microsoft Excel-based calibration and ratification file which incorporates the zero and span check information from the calibration visits. The zero reading recorded during the calibration visits is used to adjust any offset of the baseline of the data. The difference between the span value obtained between one calibration visit and the next visit is used to calculate a factor. This change is assumed to occur at the same rate over the period between calibrations and as such the factor is used as a linear data scaler. This effectively results in the start of the period having no factor applied and the end of the period being scaled with the full factor with a sliding scale of the factor in-between. After applying the calibration factors, it is essential to screen the data, by visual examination, to see if they contain any unusual measurements or outliers. Errors in the data may occur as a result of equipment failure, human error, power failures, interference or other disturbances. Data validation and ratification is an important step in the monitoring process. Ratification involves considerable knowledge of pollutant behaviour and dispersion, instrumentation characteristics, field experience and judgement. On completion of this data correction procedure, these data were converted to hourly means and a summary of these data were provided to West Berkshire Council at quarterly intervals and a calendar year annual report is prepared.

Independent Site Audits

In addition to these checks an independent site audit is carried out to ensure the nitrogen dioxide analyser is operating correctly. The audit that is carried out utilises procedures that are applied within DEFRA's National Automatic Air Monitoring Networks Quality Control Programme. The efficiency of the analyser's converter is checked and the analyser is also leak tested. The gas bottle used for calibrations on site is also checked against the auditor's gas bottle to ensure the stability of the gas concentration.

The site audit was only carried out at the Downshire Way Bracknell site on 2nd February 2018.

The converter in the NO_x analyser was tested and found to be 99.2% efficient with NO₂ concentrations of 266 ppb. The recommended range for instrumentation in the national automatic air monitoring network is in the range of 98% to 102% efficient. This was a good result. To ensure that the analyser is sampling only ambient air the instrument was leak checked. The result was satisfactory, indicating that the analyser sampling systems were free of significant leaks.

The analysers exhibited good steady state responses to both zero and span (calibration) gases with acceptable levels of variation (noise).

The NO_x analyser flow rate was measured using a calibrated flow meter and compared against the analyser's flow rate sensor to evaluate its accuracy. The Downshire Way analyser flow rate sensor was within 10% of the calibrated flow meter and therefore passed this test.

Based on the NO_x analyser's response to the audit standard and audit zero, the concentrations of the stations NO cylinders have been reassessed. This provides an indication of the site standards stability. For the purpose of these stability checks, the criteria adopted within the national network, and used here, is that the recalculated

concentration should lie within 10% of the stated concentrations and the result was an increase of 0.2%.

QA/QC of Diffusion Tube Monitoring

The Workplace Analysis Scheme for Proficiency (WASP) is an independent analytical performance testing scheme, operated by the Health and Safety Laboratory (HSL). WASP formed a key part of the former UK NO₂ Network's QA/QC, and remains an important QA/QC exercise for laboratories supplying diffusion tubes to Local Authorities for use in the context of Local Air Quality Management. The laboratory participants analyse four spiked tubes, and report the results to HSL. HSL assign a performance score to each laboratory's result, based on their deviation from the known mass of nitrite in the analyte.

The Performance criteria are due to be changed, at present the criteria are based on the z-score method, and equates to the following:

GOOD: Results obtained by the participating laboratory are on average within 13% of the assigned value. This equates to a Rolling Performance Index (RPI) of 169 or less.

ACCEPTABLE: Results obtained by the participating laboratory are on average within 13- 26% of the assigned value. This equates to an RPI of 169 - 676.

WARNING: Results obtained by the participating laboratory are on average within 26 – 39% of the assigned value. This equates to an RPI of 676 - 1521.

FAILURE: Results obtained by the participating laboratory differ by more than 39% of the assigned value. This equates to an RPI of greater than 1521.

However from April 2009, the criteria has been based upon the Rolling Performance Index (RPI) statistic and will be tightened to the following:

GOOD: Results obtained by the participating laboratory are on average within 7.5% of the assigned value. This equates to an RPI of 56.25 or less.

ACCEPTABLE: Results obtained by the participating laboratory are on average within 15% of the assigned value. This equates to an RPI of 225 or less.

UNACCEPTABLE: Results obtained by the participating laboratory differ by more than 15% of the assigned value. This equates to an RPI of greater than 225.

West Berkshire Council use Gradko International for the supply and analysis of the nitrogen dioxide diffusion tubes for their non-automatic monitoring programme. Gradko's performance for AIR PT AR018 (Jan 2017 – Feb 2017) = 100%, AR019 (Apr 2017- May 2017) = 100%, AR021 (July 2017 – Aug 2017) = 100% and AR022 (Sept 2017 – Oct 2017) = 100%, which relates to the % of results which are satisfactory.

Diffusion Tube Bias Adjustment Factors

Diffusion Tube Bias Adjustment Factors

Gradko International Ltd of St Martin's House 77 Wales Street Winchester Hampshire is the supplier and analyst of the nitrogen dioxide diffusion tubes. The tubes are analysed by U.V. spectrophotometry. The limit of detection is 20% TEA/Water.

Factor from Local Co-location Studies and Discussion of Choice of Factor to Use

The national study of bias adjustment factors spreadsheet (ref. 03/18 update) suggested a bias adjustment factor of **0.89** be applied. A copy of the co-location spreadsheet used is provided below. Using the Downshire Way Bracknell co-location study a local bias adjustment factor has been calculated as **0.82**. (At the background co-location study at Foxhill School the local bias adjustment factor was calculated as 0.81.) The national bias adjustment factor has not been used due to the availability of a local bias adjustment factor.

For the purposes of the ASR 2018 for the 2017 data the bias adjustment factor is derived from the Downshire Way co-location study.

In determining the bias adjustment factor for the 2017 data the following was taken into consideration:

Cases where the locally obtained bias adjustment factor may be more representative:

- Where the diffusion tube exposure periods are weekly or fortnightly – the Downshire Way co-location study is monthly.
- If the co-location site is unusual in some way: for example, affected by specific large nitrogen oxides (NO_x) sources other than road traffic, such as local industrial installations – the Downshire Way co-location study is predominantly influenced by road traffic.
- For tubes exposed in a similar setting to the co-location site – the Downshire Way co-location study site is a roadside location, as are over 35 of 50 of the diffusion tubes located in Bracknell Forest. Therefore the bias adjustment factor determined from either of these locations may not be deemed appropriate to apply to the Bracknell Forest non-roadside sites.
- Where the duration of the whole diffusion tube study is less than one year, especially if it is less than nine months – the Downshire Way co-location study and diffusion tube surveys are all for a full calendar year.
- Where the Review and Assessment Helpdesk spreadsheet (national database) contains data from fewer than five other studies using the same laboratory and preparation. – The national database contains 18 studies therefore it would be better to use the Bracknell co-location study factor.
- Where the co-location study is spread across more than one calendar year – The Downshire Way co-location study and diffusion tube surveys are for a full calendar year (2017).
- For co-location sites with “good” precision for the diffusion tubes and with high quality chemiluminescence results – It can be seen from the table below that the Bracknell co-location study achieved “good” precision and the Newbury chemiluminescence results (automatic monitoring) are high quality (see the QA/QC of Automatic Monitoring section above).

Cases where the combined (national) bias adjustment factor may be more representative:

- Where the survey consists of tubes exposed over a range of settings, which differ from the co-location site – Approximately 70% of our diffusion tube monitoring sites are roadside sites as is the Downshire Way co-location study site

- Where the co-location study is for less than nine months, although the diffusion tube monitoring is for a longer period - The Downshire Way co-location study and diffusion tube surveys are for a full calendar year (2017).
- Where the automatic analyser has been operated using local, rather than national, QA/QC procedures - The Downshire Way chemiluminescence results (automatic monitoring) are high quality, see the QA/QC of Automatic Monitoring section above.
- Where data capture from the automatic analyser is less than 90%, or there have been problems with data quality – Data capture from the Downshire Way automatic monitor was 98.5 % in 2017.
- For co-location sites with “poor” precision or laboratories with predominately “poor” precision, as set out on the Review & Assessment Helpdesk website - It can be seen from the table below that the Downshire Way co-location study achieved “good” precision and the laboratory precision was “good”. See the QA/QC of Diffusion Tube Monitoring section above.

In conclusion it can be seen from the discussion above that the local (Downshire Way) bias adjustment factor should be used to adjust the 2017 data.

Precision and Accuracy

Checking Precision and Accuracy of Triplicate Tubes										AEA Energy & Environment From the AEA group	
Diffusion Tubes Measurements										Automatic Method	
Period	Start Date dd/mm/yyyy	End Date dd/mm/yyyy	Tube 1 µgm ⁻³	Tube 2 µgm ⁻³	Tube 3 µgm ⁻³	Triplicate Mean	Standard Deviation	Coefficient of Variation (CV)	95% CI of mean	Period Mean	Data Capture (% DC)
1	04/01/2017	02/02/2017	66.0	64.6	76.2	69	6.3	9	15.7	59.45453	87.5
2	02/02/2017	01/03/2017	59.1	52.7	52.6	55	3.7	7	9.3	32.19138	95.37037037
3	01/03/2017	28/03/2017	44.5	43.1	41.1	43	1.7	4	4.2	32.17722	100
4	28/03/2017	28/04/2017	48.8	50.3	44.7	48	2.9	6	7.2	41.79556	99.59677419
5	28/04/2017	31/05/2017	33.7	32.9	34.7	34	0.9	3	2.3	31	99.87373737
6	31/05/2017	26/06/2017	39.1	35.2	39.7	38	2.4	6	6.0	31	100
7	26/06/2017	04/08/2017	36.9	37.5	39.0	38	1.1	3	2.7	32	99.67948718
8	04/08/2017	31/08/2017	50.7	47.5	47.7	49	1.8	4	4.5	41	99.69135802
9	31/08/2017	26/09/2017	46.1	44.6	44.2	45	1.0	2	2.4	38	99.83974359
10	26/09/2017	01/11/2017	27.4	54.7	54.8	46	15.8	35	39.2	36	99.73958333
11	01/11/2017	06/12/2017	51.3	53.4	49.1	51	2.2	4	5.4	46.12645	99.88095238
12	06/12/2017	02/01/2018	47.95	48.24	47.83	48	0.2	0	0.5	40.64831	99.86577181
13											

It is necessary to have results for at least two tubes in order to calculate the precision of the measurements

Site Name/ ID:	Downshire Way Bracknell
Accuracy (with 95% confidence interval) without periods with CV larger than 20%	Accuracy (with 95% confidence interval) WITH ALL DATA
Bias calculated using 11 periods of data Bias factor A 0.82 (0.75 - 0.91) Bias B 21% (10% - 33%)	Bias calculated using 12 periods of data Bias factor A 0.82 (0.76 - 0.9) Bias B 22% (11% - 32%)
Diffusion Tubes Mean: 47 µgm⁻³	Diffusion Tubes Mean: 47 µgm⁻³
Mean CV (Precision): 4	Mean CV (Precision): 7
Automatic Mean: 39 µgm⁻³	Automatic Mean: 39 µgm⁻³
Data Capture for periods used: 98%	Data Capture for periods used: 98%
Adjusted Tubes Mean: 39 (35 - 43) µgm⁻³	Adjusted Tubes Mean: 38 (36 - 42) µgm⁻³

Precision 11 out of 12 periods have a CV smaller than 20%

Overall survey --> **Good precision** **Good Overall DC** (Check average CV & DC from Accuracy calculations)

Jaume Targa, for AEA
Version 04 - February 2011

Annualisation

As required annualisation of data was carried out for 7 sites, referring to procedure in TG(16) (updated Feb 2017) Box 7.9:

Site 1def: Sports Centre Bagshot Road

Site	Site type	Annual mean 2017 ($\mu\text{g}/\text{m}^3$)	Period mean 2017 ($\mu\text{g}/\text{m}^3$)	Ratio (A/P)
Chilbolton Observatory	Background	9.58	10.90	0.88
Lullington Health	Background	10.32	10.36	1.00
Average				0.94
Measured mean concentration x average				37.13

Site 42xyz: Bagshot Road Railings

Site	Site type	Annual mean 2017 ($\mu\text{g}/\text{m}^3$)	Period mean 2017 ($\mu\text{g}/\text{m}^3$)	Ratio (A/P)
Chilbolton Observatory	Background	9.58	11.56	0.83
Lullington Health	Background	10.32	12.79	0.81
Average				0.82
Measured mean concentration x average				33.23

Site 100xyz: Co-op 149 High Street Crowthorne

Site	Site type	Annual mean 2017 ($\mu\text{g}/\text{m}^3$)	Period mean 2017 ($\mu\text{g}/\text{m}^3$)	Ratio (A/P)
Chilbolton Observatory	Background	9.58	9.6	1
Lullington Health	Background	10.32	11.18	0.92
Average				0.96
Measured mean concentration x average				23.1

Site 117: Blue Smoke House, The Ring, Bracknell

Site	Site type	Annual mean 2017 ($\mu\text{g}/\text{m}^3$)	Period mean 2017 ($\mu\text{g}/\text{m}^3$)	Ratio (A/P)
Chilbolton Observatory	Background	9.58	8.9	1.08
Lullington Health	Background	10.32	10.36	1
Average				1.04
Measured mean concentration x average				23.2

Site 119: opposite 3 Market Street Bracknell

Site	Site type	Annual mean 2017 ($\mu\text{g}/\text{m}^3$)	Period mean 2017 ($\mu\text{g}/\text{m}^3$)	Ratio (A/P)
Chilbolton Observatory	Background	9.58	7.86	1.22
Lullington Health	Background	10.32	9.89	1.04
Average				1.13
Measured mean concentration x average				28.35

Site 120: 1-96 Platform, near to railway station, Bracknell

Site	Site type	Annual mean 2017 ($\mu\text{g}/\text{m}^3$)	Period mean 2017 ($\mu\text{g}/\text{m}^3$)	Ratio (A/P)
Chilbolton Observatory	Background	9.58	8.01	1.2
Lullington Health	Background	10.32	9.99	1.03
Average				1.12
Measured mean concentration x average				24.98


Site 121: Skimped Hill Lane (Point layby) Bracknell

Site	Site type	Annual mean 2017 ($\mu\text{g}/\text{m}^3$)	Period mean 2017 ($\mu\text{g}/\text{m}^3$)	Ratio (A/P)
Chilbolton Observatory	Background	9.58	9.71	0.99
Lullington Health	Background	10.32	10.75	0.96
Average				0.975
Measured mean concentration x average				26.38

Distance Correction

30 sites required distance correction calculation using the NO₂ fall off with distance calculator v4.2, released April 2018.

Site 1def: Sports Centre Bagshot Road, Bracknell




**BUREAU
VERITAS**

Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	1	metres
Step 2	How far from the KERB is your receptor (in metres)?	36	metres
Step 3	What is the local annual mean background NO ₂ concentration (in $\mu\text{g}/\text{m}^3$)?	15.8	$\mu\text{g}/\text{m}^3$
Step 4	What is your measured annual mean NO ₂ concentration (in $\mu\text{g}/\text{m}^3$)?	37.1	$\mu\text{g}/\text{m}^3$
Result	The predicted annual mean NO ₂ concentration (in $\mu\text{g}/\text{m}^3$) at your receptor	21.7	$\mu\text{g}/\text{m}^3$

Warning: your receptor is more than 20m further from the kerb than your monitor, treat result with caution


Site 1xyz: Rectory Close, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	14	metres
Step 2	How far from the KERB is your receptor (in metres)?	20.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	22.3	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.2	µg/m ³


Site 12xyz: Downshire Way, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	1	metres
Step 2	How far from the KERB is your receptor (in metres)?	19	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	48.2	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	29.0	µg/m ³


Site 27x: 3M Roundabout (24 Binfield Road), Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	1	metres
Step 2	How far from the KERB is your receptor (in metres)?	10	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	43.5	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	30.6	µg/m ³


Site 29x: 8 Clintons Green, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	1	metres
Step 2	How far from the KERB is your receptor (in metres)?	10	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	25.4	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	20.9	µg/m ³


Site 38xyz: The Bungalow, Bracknell Road, Crowthorne



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	5	metres
Step 2	How far from the KERB is your receptor (in metres)?	10	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	42.9	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	37.3	µg/m ³


Site 41x: 3M Roundabout (Fowlers Lane)



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	1	metres
Step 2	How far from the KERB is your receptor (in metres)?	17	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	30	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.9	µg/m ³


Site 42xyz: Bagshot Road Railings, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	3.5	metres
Step 2	How far from the KERB is your receptor (in metres)?	5.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	33.2	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	31.1	µg/m ³

Site 54xyz: opposite 7-12 Elizabeth Close, Bracknell




Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	18	metres
Step 2	How far from the KERB is your receptor (in metres)?	46	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	26.7	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.8	µg/m ³

Warning: your receptor is more than 20m further from the kerb than your monitor, treat result with caution


Site 58xyz: Pine View, Bracknell Road, Crowthorne



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	1	metres
Step 2	How far from the KERB is your receptor (in metres)?	3	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	49.4	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	42.0	µg/m ³


Site 65x: verge, 26 Binfield Road, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	0.5	metres
Step 2	How far from the KERB is your receptor (in metres)?	16.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	28.7	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	20.7	µg/m ³


Site 76xyz: 2 Dukes Ride, Crowthorne



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	1.5	metres
Step 2	How far from the KERB is your receptor (in metres)?	3.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	30.2	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	27.5	µg/m ³


Site 77x: Merydene Court, London Road, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	1	metres
Step 2	How far from the KERB is your receptor (in metres)?	13	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	27.8	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.6	µg/m ³


Site 78x: John Nike Way (Braeside), Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	2	metres
Step 2	How far from the KERB is your receptor (in metres)?	7	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	27.9	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	24.3	µg/m ³


Site 83xyz: 75 Glebewood, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	30	metres
Step 2	How far from the KERB is your receptor (in metres)?	37	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	17.6	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	17.4	µg/m ³


Site 84xyz: 24/26 Dukes Ride, Crowthorne



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	1.5	metres
Step 2	How far from the KERB is your receptor (in metres)?	9.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	25.1	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.3	µg/m ³


Site 86xyz: Downshire Way continuous monitor, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	7	metres
Step 2	How far from the KERB is your receptor (in metres)?	8	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	38.5	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	37.5	µg/m ³


Site 90xyz: Dive Shop, Bracknell Road, Crowthorne



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	3.5	metres
Step 2	How far from the KERB is your receptor (in metres)?	20.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	27.6	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	22.0	µg/m ³


Site 100xyz: Co-op, 149 High Street, Crowthorne



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	3.5	metres
Step 2	How far from the KERB is your receptor (in metres)?	6.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	23.1	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.9	µg/m ³


Site 111: 3 Laureates Place, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	7	metres
Step 2	How far from the KERB is your receptor (in metres)?	11	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	23.3	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	22.2	µg/m ³


Site 112: 9 Grouse Meadows, Jennett's Park, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	8	metres
Step 2	How far from the KERB is your receptor (in metres)?	19	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	25.3	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	22.4	µg/m ³


Site 113: 10 Blackbird Place, Jennett's Place, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	12	metres
Step 2	How far from the KERB is your receptor (in metres)?	18	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	22.6	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.5	µg/m ³


Site 114: 1-10 Crossways, St Mark's Road, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	2	metres
Step 2	How far from the KERB is your receptor (in metres)?	15	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	27.1	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.8	µg/m ³


Site 115: Blenheim Avenue (Rear 31 Hampden Cres), Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	3	metres
Step 2	How far from the KERB is your receptor (in metres)?	5.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	22.5	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.4	µg/m ³


Site 116: Broad Lane (nr 3 Gibson Drive), Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	3.5	metres
Step 2	How far from the KERB is your receptor (in metres)?	10.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	24.8	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	22.1	µg/m ³


Site 117: Blue Smoke House, the Ring, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	0.2	metres
Step 2	How far from the KERB is your receptor (in metres)?	2.4	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	23.2	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	20.4	µg/m ³


Site 118: Market Street (outside Time Square)



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	2.5	metres
Step 2	How far from the KERB is your receptor (in metres)?	6.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	25.7	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	23.4	µg/m ³

Site 119: opposite 3 Market Street, Bracknell




Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	3.5	metres
Step 2	How far from the KERB is your receptor (in metres)?	26.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	28.4	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.5	µg/m ³

Warning: your receptor is more than 20m further from the kerb than your monitor, treat result with caution


Site 120: 1-96 Platform, nr to railway station, Bracknell



Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	1.5	metres
Step 2	How far from the KERB is your receptor (in metres)?	11.5	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	25	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	20.9	µg/m ³

Site 121: Skimped Hill Lane (Point layby), Bracknell




Enter data into the pink cells

Step 1	How far from the KERB was your measurement made (in metres)?	2	metres
Step 2	How far from the KERB is your receptor (in metres)?	14	metres
Step 3	What is the local annual mean background NO ₂ concentration (in µg/m ³)?	15.8	µg/m ³
Step 4	What is your measured annual mean NO ₂ concentration (in µg/m ³)?	26.4	µg/m ³
Result	The predicted annual mean NO ₂ concentration (in µg/m ³) at your receptor	21.6	µg/m ³

Appendix D: Map(s) of Monitoring Locations and AQMAs


Map 1 Bracknell AQMA




Map 2 Crowthorne AQMA




Map 3 Automatic monitoring sites in Bracknell Forest



Map 4 Non automatic monitoring sites within and close to Bracknell AQMA




Map 5 Non automatic monitoring sites in Bracknell Town Centre




Map 6 Non automatic monitoring sites within and close to Crowthorne AQMA



Map 7 Non automatic monitoring sites London Road Bracknell and Binfield



Map 8 Non automatic monitoring sites Jennett's Park Bracknell



Appendix E: Summary of Air Quality Objectives in England

Table E.1 – Air Quality Objectives in England

Pollutant	Air Quality Objective ⁴	
	Concentration	Measured as
Nitrogen Dioxide (NO ₂)	200 µg/m ³ not to be exceeded more than 18 times a year	1-hour mean
	40 µg/m ³	Annual mean
Particulate Matter (PM ₁₀)	50 µg/m ³ , not to be exceeded more than 35 times a year	24-hour mean
	40 µg/m ³	Annual mean
Sulphur Dioxide (SO ₂)	350 µg/m ³ , not to be exceeded more than 24 times a year	1-hour mean
	125 µg/m ³ , not to be exceeded more than 3 times a year	24-hour mean
	266 µg/m ³ , not to be exceeded more than 35 times a year	15-minute mean

⁴ The units are in microgrammes of pollutant per cubic metre of air (µg/m³).

Glossary of Terms

Abbreviation	Description
AQAP	Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the local authority intends to achieve air quality limit values'
AQMA	Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives
ASR	Air quality Annual Status Report
Defra	Department for Environment, Food and Rural Affairs
DMRB	Design Manual for Roads and Bridges – Air quality screening tool produced by Highways England
EU	European Union
FDMS	Filter Dynamics Measurement System
LAQM	Local Air Quality Management
NO ₂	Nitrogen Dioxide
NO _x	Nitrogen Oxides
PM ₁₀	Airborne particulate matter with an aerodynamic diameter of 10µm (micrometres or microns) or less
PM _{2.5}	Airborne particulate matter with an aerodynamic diameter of 2.5µm or less
QA/QC	Quality Assurance and Quality Control
SO ₂	Sulphur Dioxide